

## 8.4 Dodge Service Schedule — All Models

Check Items Month(s):	3	6/18	12	24	30/42/54	36	48	60
Kilometers X 1,000	5k	10/30k	20k	40k	50/70/90k	60k	80k	100k
<b>Raise The Car</b>								
Engine Oil and Filter**	R	R	R	R	R	R	R	R
Engine Oil Leaks	I	I	I	I	I	I	I	I
Transmission Oil Level, Check and Report For Oil Leaks Underneath	I	I	I	I	I	I	I	I
ATF & Filter 8/9 speed Transmission (Life time fluid-Inspect and replace if required)	I	I	I	I	I	I	I	I
ATF and Filter (except NAG1/CVT) (No filter at 1st 40K)				I			R	
ATF and Filter (NAG1 only)				I			R	
MTX Transmission Fluid (if applicable)			I	R		I	R	I
Rear Differential Oil Level, and Report if any Oil Leaks	I	I	I	I	I	I	I	I
Front/Rear Differential oil (AWD)			I	R		I	R	I
Rear Differential Oil SRT at 40k			I	R		I	R	I
Transfer case - (PTU Fluid if equipped at 80K)			I	I		I	R	I
Prop shaft Bolts			T	T		T	T	T
Engine and Transmission Mountings		I	I	I	I	I	I	I
All Suspension Bushes and Bolts		I/T	I/T	I/T	I/T	I/T	I/T	I/T
Shock Absorber For Operation/Leaks and Damages		I	I	I	I	I	I	I

Check Items Month(s):	3	6/18	12	24	30/42/54	36	48	60
Kilometers X 1,000	5k	10/30k	20k	40k	50/70/90k	60k	80k	100k
Tie Rod Ends, Ball Joints, Steering and Drive shaft Boots, (lubricate if necessary)		I/L	I/L	I/L	I/L	I/L	I/L	I/L
Front and Rear Wheel Bearing Play	I	I	I	I	I	I	I	I
Front and Rear brake Pads, Discs and Calipers***	I	I	I	I	I	I	I	I
Parking Brake / Hand Brake	I/A	I/A	I/A	I/A	I/A	I/A	I/A	I/A
Fuel Tank/Brake Pipes, Hoses For Leaks Chaffing and Cracks	I	I	I	I	I	I	I	I
Exhaust System Condition and Tighten Bolts	I/T	I/T	I/T	I/T	I/T	I/T	I/T	I/T
All Tire Pressures including Spare and Wear and Damage	I/A	I/A	I/A	I/A	I/A	I/A	I/A	I/A
Rotate Tires every (10k)		A	A	A	A	A	A	A
Power Steering For Operation and Leaks	I	I	I	I	I	I	I	I
Underneath Damages	I	I	I	I	I	I	I	I
<b>Lower The car</b>								
Electronic Throttle Control Clean (reset and learn)			C/A	C/A		C/A	C/A	C/A
Brake Fluid	I/A	I/A	I/A	I/A	I/A	I/A	I/A	I/A
Power Steering Oil	I/A	I/A	I/A	I/A	I/A	I/A	I/A	I/A
Engine Coolant	I/A	I/A	I/A	I/A	I/A	I/A	I/A	I/A
Air Filter and Air Condition Filter Element		I	R	R	I	R	R	R
PCV Valve (Replace if Necessary)							R	
All Drive Belts For Cracks, Wear and Tension		I	I	I	I	I	I	R

**MAINTENANCE**

<b>Check Items Month(s):</b>	<b>3</b>	<b>6/18</b>	<b>12</b>	<b>24</b>	<b>30/42/54</b>	<b>36</b>	<b>48</b>	<b>60</b>
<b>Kilometers X 1,000</b>	<b>5k</b>	<b>10/30k</b>	<b>20k</b>	<b>40k</b>	<b>50/70/90k</b>	<b>60k</b>	<b>80k</b>	<b>100k</b>
Standard Spark Plugs GEN I every 50k (Inspect Ignition Coil) ****					R			R
Spark Plugs GEN II (Inspect Ignition Coil)								R
Spark Plugs GEN III (Inspect Ignition Coil)								R
All Locks, Hinges and Stopper (Doors, Engine Hood, Fuel Filling door, deck lid and lift gate)	I/L	I/L	I/L	I/L	I/L	I/L	I/L	I/L
Re-torque Wheel Nuts to Proper Specs	I/T	I/T	I/T	I/T	I/T	I/T	I/T	I/T
Brake Fluid Every 50K or 2 Years					R			
Engine Timing Belt 3.5L only	Replace at Every 120,000 kms — if required							
Coolant At 100,000 Kms or Every 5 Years								R
All Door Seals and Seat Belts	I	I	I	I	I	I	I	I
<b>Electrical System/Equipment</b>								
All Lights, Switches, Controls and All power Option	I	I	I	I	I	I	I	I
Battery Condition, Clean Battery Terminals and Attach Battery Report	I/C	I/C	I/C	I/C	I/C	I/C	I/C	I/C
Wiper Blades/Washer Nozzles and Top Up Washer Reservoir (Mopar liquid)	I/A	I/A	I/A	I/A	I/A	I/A	I/A	I/A
A/C Operation and Visually check For Refrigerant Leaks	I	I	I	I	I	I	I	I
Sunroof Operation (if equipped)	I	I	I	I	I	I	I	I
Reset Service Reminder Light	I/A	I/A	I/A	I/A	I/A	I/A	I/A	I/A

Check Items Month(s):	3	6/18	12	24	30/42/54	36	48	60
Kilometers X 1,000	5k	10/30k	20k	40k	50/70/90k	60k	80k	100k
<b>Others</b>								
Perform wiTECH scan - MIL or Updates								
Recall RRT/TSB (if applicable)								
Body scratches/Damages								
Wheel Rims for External Damages								
Wheel Alignment*	If required							
<b>Tire/Brake Report</b>	<b>F/L</b>	<b>F/R</b>	<b>R/L</b>	<b>R/R</b>	<b>Spare</b>	<b>Remarks:</b>		
Tire Depth								
Tire Pressure								
Brake Pads								
Brake Discs Front /Rear								

\* Additional Charges Apply ( **I**-Inspection / **R**-Replace / **L**-Lubricate / **A**-Adjust / **C**-Clean / **T**-Tighten)

\*\* Schedule 'B' applies to SRT vehicles which is every 5K intervals.

\*\*\* Inspect and replace brake pads as required.

\*\*\*\* Older models up to and below 2010 MY.

> Once reached to 100k start over.

Mopar chemicals to be used on all schedules including Injector Cleaning e.g. 68158590AC.

Signature \_\_\_\_\_ (QC) Reg. No \_\_\_\_\_

Date \_\_\_\_\_ Signature \_\_\_\_\_ (Tech)

**Additional:**

\_\_\_\_\_  
Odometer Reading Date

\_\_\_\_\_  
Repair Order # Dealer Code

\_\_\_\_\_  
Signature Authorized FCA International Operations  
LLC Dealer

**Additional:**

\_\_\_\_\_  
Odometer Reading Date

\_\_\_\_\_  
Repair Order # Dealer Code

\_\_\_\_\_  
Signature Authorized FCA International Operations  
LLC Dealer

**Additional:**

\_\_\_\_\_  
Odometer Reading Date

\_\_\_\_\_  
Repair Order # Dealer Code

\_\_\_\_\_  
Signature Authorized FCA International Operations  
LLC Dealer